EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	14	hamberg-max.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 11:54
S2	1	leppaniemi-jari.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 11:23
S3	4264	nokia-corporation.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 11:23
S4	10	S3 and (encrypt$3 with (photo image picture))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/27 11:29

S5	50	(US-20020145614-$ or US-20040263636-$ or US-20050110788-$ or US-20060041719-$ or US-20060072166-$ or US-20060088284-$ or US-20020034255-$ or US-20020073058-$ or US-20040003351-$ or US-20020073429-$ or US-20040125400-$ or US-20050243585-$).did. or (US-6714209-$ or US-6738427-$ or US-7031968-$ or US-5706457-$ or US-6349330-$ or US-5917488-$ or US-5884056-$ or US-6026416-$ or US-6058417-$ or US-6181342-$ or US-5717940-$ or US-5892847-$ or US-5903904-$ or US-5923325-$ or US-5983237-$ or US-6084595-$ or US-6105042-$ or US-6182090-$ or US-4802756-$ or US-5548692-$ or US-5598557-$ or US-5699458-$ or US-5717838-$ or US-5751287-$ or US-5761655-$ or US-5761686-$). did. or (US-5765176-$ or US-5819261-$ or US-5898436-$ or US-5943679-$ or US-6006231-$ or US-6011537-$ or US-6021412-$ or US-6028603-$ or US-6041143-$ or US-6072479-$ or US-6085185-$ or US-6091418-$).did.	US-PGPUB; USPAT	OR	ON	2006/12/27 12:44
S6	9	S5 and (generat$3 with (represent$6 reduc$3) with data)	US-PGPUB; USPAT	OR	ON	2006/12/27 12:53
S7	2	S5 and ((encrypt$3 encipher$3 cipher$3 scrambl$3) same ((represent$6 reduc$3) with data))	US-PGPUB; USPAT	OR	ON	2006/12/27 12:54
S8	69386	(generat$3 with (represent$6 reduc$3) with data)	US-PGPUB; USPAT	OR	ON	2006/12/27 12:55
S9	1681	S8 and ((encrypt$3 encipher$3 cipher$3 scrambl$3) same ((represent$6 reduc$3) with data))	US-PGPUB; USPAT	OR	ON	2006/12/27 13:12
S10	1885	generat$3 with thumbnail	US-PGPUB; USPAT	OR	ON	2006/12/27 12:55
S11	33	S10 and ((encrypt$3 encipher$3 cipher$3 scrambl$3) same thumbnail)	US-PGPUB; USPAT	OR	ON	2006/12/29 07:00
S12	14	S11 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/29 07:09
S13	189	S9 and (symmetric near3 (algorithm key))	US-PGPUB; USPAT	OR	ON	2006/12/27 13:13

S14	108	S13 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 07:26
S15	1561	encrypt$3 near3 hash near3 key	US-PGPUB; USPAT	OR	ON	2006/12/27 14:25
S16	825	S15 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:03
S17	1092	deriv$3 adj key	US-PGPUB; USPAT	OR	ON	2006/12/27 15:02
S18	91	(deriv$3 adj key) same (hash CRC checksum)	US-PGPUB; USPAT	OR	ON	2006/12/27 15:03
S19	57	S18 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:06
S20	10735	generat$3 near3 (hash crc checksum)	US-PGPUB; USPAT	OR	ON	2006/12/27 15:07
S21	667	S20 and (((deriv$3 gener$3) near3 key) with (hash CRC checksum))	US-PGPUB; USPAT	OR	ON	2006/12/27 15:07
S22	456	S21 and encrypt$3	US-PGPUB; USPAT	OR	ON	2006/12/27 15:06
S23	252	S22 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:08
S24	1848	generat$3 near3 (checksum)	US-PGPUB; USPAT	OR	ON	2006/12/28 07:20
S25	28	S24 and (((deriv$3 gener$3) near3 key) with (hash CRC checksum))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:18
S26	14	S25 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/27 15:19
S27	198	("455"/$.ccls. "380"/$.ccls. "713"/$.ccls. "726"/$.ccls. "705"/$.ccls. "370"/$.ccls. "725"/$.ccls.) and (((generat$3 deriv$3) adj key) with (checksum CRSC hash))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:38
S28	185	S27 and (encrypt$3 encipher$3 cipher$3)	US-PGPUB; USPAT	OR	ON	2006/12/28 08:18
S29	98	S28 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 07:46
S30	93	S29 and (generat$3 with (checksum CRSC hash))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:26
S31	13	("455"/$.ccls. "380"/$.ccls. "713"/$.ccls. "726"/$.ccls. "705"/$.ccls. "370"/$.ccls. "725"/$.ccls.) and (((generat$3 deriv$3) adj key) with (checksum))	US-PGPUB; USPAT	OR	ON	2006/12/28 08:53

S32	6	("455"/$.ccls. "380"/$.ccls. "713"/$.ccls. "726"/$.ccls. "705"/$.ccls. "370"/$.ccls. "725"/$.ccls.) and (((generat$3 deriv$3) adj key) with (CRC))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:45
S33	188	("455"/$.ccls. "380"/$.ccls. "713"/$.ccls. "726"/$.ccls. "705"/$.ccls. "370"/$.ccls. "725"/$.ccls.) and (((generat$3 deriv$3) adj key) with (hash))	US-PGPUB; USPAT	OR	ON	2006/12/28 07:45
S34	94	S33 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 15:08
S35	89	S34 and (encrypt$3 encipher$3 cipher$3)	US-PGPUB; USPAT	OR	ON	2006/12/28 08:25
S36	1042	("455"/$.ccls. "380"/$.ccls. "713"/$.ccls. "726"/$.ccls. "705"/$.ccls. "370"/$.ccls. "725"/$.ccls.) and (generat$3 with (checksum))	US-PGPUB; USPAT	OR	ON	2006/12/28 08:54
S37	506	("455"/$.ccls. "380"/$.ccls. "713"/$.ccls. "726"/$.ccls. "705"/$.ccls. "370"/$.ccls. "725"/$.ccls.) and (generat$3 with checksum with (data fiel program image signal))	US-PGPUB; USPAT	OR	ON	2006/12/28 10:19
S38	2218	(stor$3 with (encrypt$3 near3 (data file content program)) with (server provider))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:01
S39	716	S38 and ((transmit$3 forward$3 send$3 deliver$3) with encrypt$3 with (server provider) with (user client subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:02
S40	415	S39 and ((transmit$3 forward$3 send$3 deliver$3) same (URL address location))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 15:46
S41	140	S40 and ((transmit$3 forward$3 send$3 deliver$3) same ((URL address location) with key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 15:47
S42	79	S41 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/28 15:47

S43	343	S39 and ((transmit$3 forward$3 send$3 deliver$3) same (URL address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:03
S44	97	S43 and ((transmit$3 forward$3 send$3 deliver$3) same ((URL address) with key))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 15:47
S45	56	S44 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 16:57
S46	137	S38 and (stor$3 with key with (key adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:01
S47	83	S46 and ((transmit$3 forward$3 send$3 deliver$3) with encrypt$3 with (server provider) with (user client subscriber))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:02
S48	40	S47 and ((transmit$3 forward$3 send$3 deliver$3) same (URL address))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/28 16:05
S49	1896	generat$3 with thumbnail	US-PGPUB; USPAT	OR	ON	2006/12/29 08:25
S50	4	S49 and ((transmit$4 send$3 forward$3) same ((encrypt$3 encipher$3 cipher$3 scrambl$3) with thumbnail) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:25
S51	241763	generat$3 with (image photo picture)	US-PGPUB; USPAT	OR	ON	2006/12/29 08:03
S52	253	S51 and ((transmit$4 send$3 forward$3) same ((encrypt$3 encipher$3 cipher$3 scrambl$3) with (image photo picture)) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:04
S53	104	S52 and ((transmit$4 send$3 forward$3) with key with (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 07:08
S54	48	S53 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/29 10:11
S56	7516	generat$3 with (image photo picture) with (mobile cell$4)	US-PGPUB; USPAT	OR	ON	2006/12/29 08:03

EAST Search History

S57	13	S56 and ((transmit$4 send$3 forward$3) same ((encrypt$3 encipher$3 cipher$3 scrambl$3) with (image photo picture)) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:13
S58	499	S56 and ((transmit$4 send$3 forward$3) same (image photo picture) same (server provider))	US-PGPUB; USPAT	OR	ON	2006/12/29 08:12
S59	3	("20030086568", "20030026434", "5784461").pn.	US-PGPUB; USPAT	OR	ON	2006/12/29 08:14
S60	15	S54 and URL	US-PGPUB; USPAT	OR	ON	2006/12/29 10:41
S61	527	(stor$3 with key with (key adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:21
S62	0	S61 and (key with (thumb$1nail (thumb adj nail) picture) with multimedia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:23
S63	0	S61 and (key same ((thumb$1nail (thumb adj nail) picture) with multimedia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 12:14
S64	9	S61 and (key and ((thumb$1nail (thumb adj nail) picture) with multimedia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 12:15
S65	9	S61 and (key and ((ID identifier) with (thumb$1nail (thumb adj nail) picture) with multimedia))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/29 12:16
S66	5530	stor$3 same (retriev$3 archiv$3) same URL	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 12:05
S67	30	S66 and (stor$3 with key with (key adj server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 13:03

S68	33	(send$3 transmit$4) same key same URL same (third adj part$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 16:33
S69	27	(stor$3) same key same URL same (third adj part$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 16:46
S70	19	(url address) same (thumb$1nail (thumb adj nail)) same watermark$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 19:37
S71	229	(url address) same (thumb$1nail (thumb adj nail) key) same watermark$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 20:54
S72	77	stor$3 same (url address) same (thumb$1nail (thumb adj nail) key) same watermark$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 20:54
S73	50	S72 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 19:37
S74	38938	key same (thumb$1nail (thumb adj nail) icon$2 picture extract)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:25
S75	5953	key with (thumb$1nail (thumb adj nail) icon$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:39
S76	723	(generat$3 deriv$3 form$3 creat$3) with key with (thumb$1nail (thumb adj nail) icon$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:28
S77	421	S76 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 17:31
S78	7	(generat$3 deriv$3 form$3 creat$3) with (encrypt$3 near3 key) with (thumb$1nail (thumb adj nail) icon$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30

EAST Search History

S79	1	(generat$3 deriv$3 form$3 creat$3) with (encipher$3 near3 key) with (thumb$1nail (thumb adj nail) icon$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30
S80	1	(generat$3 deriv$3 form$3 creat$3) with (cipher$3 near3 key) with (thumb$1nail (thumb adj nail) icon$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30
S81	48	(generat$3 deriv$3 form$3 creat$3) with (cod$3 near3 key) with (thumb$1nail (thumb adj nail) icon$2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:30
S82	38	S81 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 17:40
S83	1774	(thumb$1nail (thumb adj nail)) with represent$6 with image	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:40
S84	108	S83 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 17:40
S85	58	S84 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 21:25
S86	43	S85 and watermark	US-PGPUB; USPAT	OR	ON	2006/12/31 20:09
S87	10	stor$3 same (url address) same (thumb$1nail (thumb adj nail) clip) same watermark$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 20:55
S88	3813	(stor$3 same(address URL) same (key thumb$1nail (thumb adj nail) clip) same (server repository (third near3 part$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:37
S89	1333	S88 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:50
S90	720	S89 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 21:51

EAST Search History

S91	8	S90 and URL and watermark$3	US-PGPUB; USPAT	OR	ON	2006/12/31 21:25
S92	615	(stor$3 with(address URL) with (key thumb$1nail (thumb adj nail) clip) with (server repository (third near3 part$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:49
S93	240	S92 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:38
S94	35	S93 and stor$3 and (retriev$3 and archiv$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:50
S95	956	(send$3 forward$3 transmit$4) with (address URL) with (key thumb$1nail (thumb adj nail) clip) with (server repository (third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:54
S96	397	S95 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 22:34
S97	51	S96 and stor$3 and (retriev$3 and archiv$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 21:50
S98	26	S97 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 22:34
S99	25	(send$3 forward$3 transmit$4) with (address URL) with (key thumb$1nail (thumb adj nail) clip) with (third near3 part$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 22:33
S100	9466	(send$3 forward$3 transmit$4) with key with (server repository (third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 22:34
S101	745	(send$3 forward$3 transmit$4) with key with ((third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:01

S10 2	501	S101 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:39
S10 3	315	S102 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 23:22
S10 4	20	(send$3 forward$3 transmit$4) with (URL address) with encrypt$3 with ((third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:57
S10 5	1145	(send$3 forward$3 transmit$4) with (URL address locat$3) with ((third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:21
S10 6	132	(send$3 forward$3 transmit$4) same ((URL address locat$3) with encrypt$3) same ((third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:22
S10 7	69	S106 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 23:22
S10 8	83	(send$3 forward$3 transmit$4) same ((URL address) with encrypt$3) same ((third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:22
S10 9	44	S108 and @ad<"20030204"	US-PGPUB; USPAT	OR	ON	2006/12/31 23:52
S11 0	1438	stor$3 with encrypt$3 with (URL address locator)	US-PGPUB; USPAT	OR	ON	2006/12/31 23:54
S11 1	452	(send$3 forward$3 transmit$4) with (URL address) with encrypt$3 with ((server repository))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:57
S11 2	620	(send$3 forward$3 transmit$4) with (URL address) with ((third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58
S11 3	139	S112 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58

EAST Search History

S11 4	98	(send$3 forward$3 transmit$4) with (URL) with ((third near3 part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58
S11 5	25	S114 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/31 23:58
S11 6	3	(user sender client first) with (send$3 transmit$4 forward$3) with (URL address) with (thumb$1nail (thumb adj nail) clip) with receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:38
S11 7	432	(send$3 transmit$4 forward$3) same (URL address) same (thumb$1nail (thumb adj nail) clip) same (receiv$3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:59
S11 8	48	S117 and encrypt$3 and decrypt$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 00:39
S11 9	8	(send$3 transmit$4 forward$3) same ((URL address) with (thumb$1nail (thumb adj nail) clip)) same key same (receiv$3 recipient)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:02
S12 0	8	(send$3 transmit$4 forward$3) same ((URL address) with (thumb$1nail (thumb adj nail) clip)) same key same (receiv$3 recipient (third adj part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:03
S12 1	268	(send$3 transmit$4 forward$3) same (thumb$1nail (thumb adj nail) clip) same key same (receiv$3 recipient (third adj part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:03
S12 2	15	(send$3 transmit$4 forward$3) same (locat$3 with (thumb$1nail (thumb adj nail) clip)) same key same (receiv$3 recipient (third adj part$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/01 01:04